Serial No.: 10/813,744 Filed: April 1, 2004

For: Construction Module Arrangement

Group Art Unit: 3635 Page 2 of 10

Amended Claims

1-31. (previously cancelled)

32. (currently amended) An improved construction module having a predetermined curvature

comprising, in combination:

a top panel having an outer surface, and an inner surface, said top panel having a first

plurality of thin sheet laminate layers of predetermined non-planar curvature bonded together for

forming said top panel said top panel being adapted to completely cover an intermediate panel;

a bottom panel having an outer surface, and an inner surface, said bottom panel having a

second plurality of thin sheet laminate layers of <u>said</u> predetermined curvature bonded together

for forming said bottom panel, said bottom panel being adapted to completely cover an

intermediate panel; and

an intermediate panel having an upper surface, a lower surface, and intermediate panel peripheral

wall members defining an intermediate panel cavity therebetween, said intermediate panel cavity

being completely enclosed by said top and bottom panels, said intermediate panel having a third

plurality of thin sheet laminate layers bonded together in said predetermined curvature for

forming said intermediate panel peripheral wall members.

33. (presently amended) The arrangement defined in claim 32 and further comprising: a

decorative veneer layer having a said predetermined curvature on said outer surface of said top

panel.

Serial No.: 10/813,744 Filed: April 1, 2004

For: Construction Module Arrangement

Group Art Unit: 3635

Page 3 of 10

34. (presently amended) The arrangement defined in claim 32 and further comprising: a

decorative veneer layer having a said predetermined curvature on said outer surface of said

bottom panel.

35. (presently amended) The arrangement defined in claim 32 and further comprising: a

decorative veneer layer having a said predetermined curvature on said outer surface of said top

panel; and a decorative veneer layer having a said predetermined curvature on said outer surface

of said bottom panel.

36. (previously presented) The arrangement defined in claim 32 wherein: said inner surface of

said top panel is bonded to said upper surface of said intermediate panel.

37. (previously presented) The arrangement defined in claim 32 wherein: said inner surface of

said bottom panel is bonded to said lower surface of said intermediate panel.

38. (previously presented) The arrangement defined in claim 32 wherein: said inner surface of

said top panel is bonded to said upper surface of said intermediate panel; and, said inner surface

of said bottom panel is bonded to said lower surface of said intermediate panel.

39. (previously presented) The arrangement defined in claim 32 wherein: the number of said first

In re Application of: Hector Coronado Serial No.: 10/813,744

Filed: April 1, 2004

For: Construction Module Arrangement

Group Art Unit: 3635 Page 4 of 10

plurality of thin sheet laminate layers in said top panel is the same as the number of said second

plurality of thin sheet laminate layers in said bottom panel.

40. (previously presented) The arrangement defined in claim 32 wherein: the number of said first

plurality of thin sheet laminate layers in said top panel is the same as the number of said third

plurality of thin sheet laminate layers in said intermediate panel.

41. (previously presented) The arrangement defined in claim 32 wherein; the number of said

first plurality of thin sheet laminate layers in said top panel is the same as the number of said

second plurality of thin sheet laminate layers in said bottom panel, and the number of said third

plurality of thin sheet laminate layers in said intermediate panel is the same as the number of said

first plurality of thin sheet laminate layers in said top panel.

42-63 (cancelled)

64. (presently amended) An improved construction module having a predetermined curvature

comprising, in combination:

a top panel having an outer surface, and an inner surface, said top panel having a first

plurality of thin sheet laminate layers having a first predetermined non-planar curvature pattern

bonded together for forming said top panel said top panel being adapted to completely cover an

intermediate panel;

Serial No.: 10/813,744 Filed: April 1, 2004

Filed: April 1, 2004 For: Construction Module Arrangement

Group Art Unit: 3635

Page 5 of 10

a bottom panel having an outer surface, and an inner surface, said bottom panel having a

second plurality of thin sheet laminate layers having said first predetermined curvature pattern

bonded together for forming said bottom panel, said bottom panel being adapted to completely

cover an intermediate panel; and

an intermediate panel having an upper surface, a lower surface, and intermediate panel

peripheral wall members defining an intermediate panel cavity therebetween, said intermediate

panel cavity being completely enclosed by said top and bottom panels, said intermediate panel

having a third plurality of thin sheet laminate layers bonded together in said first predetermined

curvature pattern for forming said intermediate panel peripheral wall members, whereby

said construction module maintains first predetermined curvature pattern to provide a non-planar

surface.

65. (previously presented) The arrangement defined in claim 64 and further comprising; a

decorative veneer layer having said first predetermined curvature pattern on said outer surface of

said top panel.

66. (previously presented) The arrangement defined in claim 64 and further comprising: a

decorative veneer layer having said first predetermined curvature pattern on said outer surface of

said bottom panel.

67. (previously presented) The arrangement defined in claim 64 and further comprising: a

Serial No.: 10/813,744 Filed: April 1, 2004

For: Construction Module Arrangement

Group Art Unit: 3635 Page 6 of 10

decorative veneer layer having said first predetermined curvature pattern on said outer surface of

said top panel; and a decorative veneer layer having said first predetermined curvature pattern on

said outer surface of said bottom panel.

68. (previously presented) The arrangement defined in claim 64 wherein; said inner surface of

said top panel is bonded to said upper surface of said intermediate panel.

69. (previously presented) The arrangement defined in claim 64 wherein; said inner surface of

said bottom panel is bonded to said lower surface of said intermediate panel.

70. (previously presented) The arrangement defined in claim 64 wherein; said inner surface of

said top panel is bonded to said upper surface of said intermediate panel; and, said inner surface

of said bottom panel is bonded to said lower surface of said intermediate panel.

71. (previously presented) The arrangement defined in claim 64 wherein: the number of said

first plurality of thin sheet laminate layers in said top panel is the same as the number of said

second plurality of thin sheet laminate layers in said bottom panel.

72. (previously presented) The arrangement defined in claim 64 wherein: the number of said first

plurality of thin sheet laminate layers in said top panel is the same as the number of said third

plurality of thin sheet laminate layers in said intermediate panel.